

IABU Headquarters

[Delta Electronics, Inc.](#)

Taoyuan1

31-1, Xingbang Road, Guishan Industrial Zone,
Taoyuan County 33370, Taiwan, R.O.C.

TEL: 886-3-362-6301 / FAX: 886-3-362-7267

Asia

[Delta Electronics \(Jiang Su\) Ltd.](#)

[Wujiang Plant](#)

1688 Jiangxing East Road,
Wujiang Economy Development Zone,
Wujiang City, Jiang Su Province,
People's Republic of China (Post code: 215200)
TEL: 86-512-6340-3008 / FAX: 86-512-6340-7290

[Delta Greentech \(China\) Co., Ltd.](#)

238 Min-Xia Road, Cao-Lu Industry Zone, Pudong, Shanghai,
People's Republic of China
Post code : 201209
TEL: 021-58635678 / FAX: 021-58630003

[Delta Electronics \(Japan\), Inc.](#)

[Tokyo Office](#)

Delta Shibadaimon Building, 2-1-14
Shibadaimon, Minato-Ku, Tokyo, 105-0012,
Japan
TEL: 81-3-5733-1111 / FAX: 81-3-5733-1211

[Delta Power Solutions \(India\) Pte. Ltd.](#)

Plot No. 28, Sector-34, EHTP
Gurgaon-122001 Haryana, India
TEL: 91-124-416-9040 / FAX: 91-124-403-6045

America

[Delta Products Corporation \(USA\)](#)

[Raleigh Office](#)

P.O. Box 12173, 5101 Davis Drive,
Research Triangle Park, NC 27709, U.S.A.
TEL: 1-919-767-3813 / FAX: 1-919-767-3969

[Delta Products Corporation \(Brazil\)](#)

[Sao Paulo Office](#)

Rua Itapeva, Nº 26, 3º andar, Bela vista
ZIP: 01332-000 - São Paulo - SP - Brasil
TEL : 55-11-3568-3875 / FAX : 55-11-3568-3865

Europe

[Deltronics \(The Netherlands\) B.V.](#)

[Eindhoven Office](#)

De Witbogt 15, 5652 AG Eindhoven, The Netherlands
TEL: 31-40-2592850 / FAX: 31-40-2592851

107392, , . , .7, .309

/ : (495) 661-24-41

E-mail: sales@deltronics.ru

<http://www.deltronics.ru>



Delta Electronics -

- VFD-C2000.
(FOC),

C2000

VFD-C FOC-

(Field Oriented Control)

MODBUS CANOpen
: PROFIBUS-DP, DeviceNet, MODBUS TCP Ethernet/IP





CE, UL cUL




(IP20/NEMA1)
: 230V 0.75...90 , 460V 0.75...355

230 ()	0.75	1.5	2.2	3.7	5.5	7.5	11	15	18.5	22	30	37	45	55	75	90
	A			B		C		D		E		F*				
460 ()	0.75	1.5	2.2	3.7	4.0	5.5	7.5	11	15	18.5	22	30	37	45	55	75
	A			B		C		D								
460 ()	90	110	132	160	185	220	280	315	355							
	E	F*	G*	H*												

* II 2010








- RS-485
-  PROFIBUS
- CANopen (DS402),

Delta




CANopen Builder,
CANopen.



Delta DeviceNet Builder

DeviceNet


- (EDS-
-)
- Delta IABU
- /
- DeviceNet



■ MODBUS TCP

DCI Soft

- Delta
- Ethernet/Modbus TCP



COM-

■ RFI-
IEC/EN61000-3-2, 61000-3-12 61800-3.


■

■


■

(1)



(2)



	A	230 : 0.75~3.7 (1~5HP) 460 : 0.75~5.5 (1~7.5HP)	VFD007C23A/E VFD037C23A/E VFD007C43A/E VFD015C43A/E VFD037C43A/E VFD040C43A/E VFD055C43A/E VFD015C23A/E VFD022C23A/E VFD022C43A/E	► [MKC-AFM] ► [MKC-AFM1]
	B	230 : 5.5~11 (7.5~15HP) 460 : 7.5~15 (10~20HP)	VFD055C23A/E VFD075C23A/E VFD110C23A/E VFD075C43A/E VFD110C43A/E VFD150C43A/E	► [MKC-BFM]
	C	230 : 15~22 (20~30HP) 460 : 18.5~30 (25~40HP)	VFD150C23A/E VFD185C23A/E VFD220C23A/E VFD185C43A/E VFD220C43A/E VFD300C43A/E	► [MKC-CFM]
	D	230 : 30~37 (40~50HP) 460 : 37~75 (50~100HP)	VFD300C23A VFD370C23A VFD370C43A VFD450C43A VFD550C43A VFD750C43A VFD300C23E VFD370C23E VFD370C43E VFD450C43E VFD550C43E VFD750C43E	► Conduit box kit [MKC-DN1CB]
	E	230 : 45~75 (60~100HP) 460 : 90~110 (125~150HP)	VFD450C23A/E VFD550C23A/E VFD750C23A VFD900C43A/E VFD1100C43A/E VFD750C23E	► Conduit box kit [MKC-EN1CB]
	F	230 : 90 (125HP) 460 : 132~160 (175~215HP)	VFD900C23A/E VFD1320C43A/E VFD1600C43A/E	2010 . II .
	G	460 : 185~220 (250~300HP)	VFD1850C43A/E VFD2200C43A/E	2010 . II .
	H	460 : 280~355 (375~475HP)	VFD2800C43A/E VFD3150C43A/E VFD3550C43A/E	2010 . II .




()		EtherNet/IP (CMC-EIP01) MODBUS TCP (CMC-MOD01) 10/100 / ,
		DP-PROFIBUS 9.6 / , 19.2 / , 96.75 / , 187.5 / , 500 / , 1.5 / , 3 / , 6 / , 12 /
		DeviceNet 125 / , 250 / , 500 /
		CANopen 1 500k 250k 125k 100k 50k
(PG)		(6 /)
		(4 2 /)
		PG V+ (PLC) : 300
		PG 5VDC : 50 300
		7- LED- (MKC-KPPK) , IP56.




	1: V/F, 2: SVC, 3: VF+PG, 4: FOC+PG				
	150%	0.5	;	150%	0
V/f	4				
	5	(40)	
	.200%				
	±5%				
()	: 0.01~600.00 ; : 0.00~300.00				
	: ±0.01%, -10...+40° , : ±0.1%, 25±10°				
	: 0.01 , : 0.03/60 (±11)				
	: 120% 1 : 150% 1				
	+10...-10 , 0...10 , 4...20 , 0...20 ,				
J	0.00...600.00/0.0...6000.0				
	, , , , / , , , , / , S- , , , ,				
	, 16 / , (, , , /), , , , / , , , ,				
	MODBUS (RS-485(RJ45) , 115.2 /), , , , , , , ,				
	B	:	/	;	C :
	: 240% : 170~175%; : 180~185%				
	230:			DC	410
	460:			DC	820
	20				
	: 50%				


	IEC60364-1/IEC60664-1	2,	
	NEMA 1/UL Type 1	$40...60^{\circ}$, 2% 1° .	$-10...+40^{\circ}$.
	UL Open Type	$50...60^{\circ}$, 2% 1° .	$-10...+50^{\circ}$.
	/	$-25...+70^{\circ}$	
	,		
	/	.90%	
	/	.95%	
	/	86 ... 106 70 ... 106	
	IEC60721-3-3 (application is in progress)	Class 3C2; Class 3S2 Class 2C2; Class 2S2 Class 1C2; Class 1S2	
		1000 2%	0.5°C $1000...3000$, 100 .
	/	ISTA procedure 1A() IEC60068-2-31
1.5	, 3-13 , 1G	13-200 (IEC 60068-2-6)
15G	11 (IEC/EN 60068 2-27)	
	$\pm 10^{\circ}$	$10^{\circ} \rightarrow -10^{\circ}$	




	W	H	D	W1	H1	D1*	Ø	Ø1	Ø2	Ø3
A	130.0	250.0	170.0	116.0	236.0	45.8	6.2	22.2	34.0	28.0
	5.12	9.84	6.69	4.57	9.29	1.80	0.24	0.87	1.34	1.10



	W	H	D	W1	H1	D1*	Ø	Ø1	Ø2	Ø3
C	250.0	400.0	210.0	231.0	381.0	92.9	8.5	22.2	34.0	50.0
	9.84	15.75	8.27	9.09	15.00	3.66	0.33	0.87	1.34	1.97




	W	H	D	W1	H1	D1*	Ø	Ø1	Ø2	Ø3
B	190.0	320.0	190.0	173.0	303.0	77.9	8.5	22.2	34.0	43.8
	7.48	12.60	7.48	6.81	11.93	3.07	0.33	0.87	1.34	1.72



D	VFD300C23A	D1	VFD300C23E
	VFD370C23A		VFD370C23E
	VFD370C43A		VFD370C43E
	VFD450C43A		VFD450C43E
	VFD550C43A		VFD550C43E
	VFD750C43A		VFD750C43E

	W	H	D	W1	H1	H2	H3	D1*	Ø	Ø1	Ø2	Ø3
D	330.0 [12.99]	550.0 [21.65]	275.0 [10.83]	285.0 [11.22]	525.0 [20.67]	-	492.0 [19.37]	107.2 [4.22]	11.0 [0.43]	34.0 [1.34]	22.0 [0.87]	11.0 [0.43]
D1	330.0 [12.99]	550.0 [21.65]	275.0 [10.83]	285.0 [11.22]	525.0 [20.67]	688.3 [27.10]	492.0 [19.37]	107.2 [4.22]	11.0 [0.43]	34.0 [1.34]	22.0 [0.87]	11.0 [0.43]


D1*:

E

E
VFD450C23A
VFD550C23A
VFD900C43A
VFD1100C43A

E1
VFD450C23E
VFD550C23E
VFD900C43E
VFD1100C43E

	W	H	D	W1	H1	H2	H3	D1*	Ø	Ø1	Ø2	Ø3	Ø4
E	370.0 [14.57]	589.0 [23.19]	300.0 [11.81]	335.0 [13.19]	560.0 [22.05]	-	528.0 [20.80]	143.0 [5.63]	13.0 [0.51]	22.0 [0.87]	34.0 [1.34]	76.0 [2.99]	92.0 [3.62]
E1	370.0 [14.57]	589.0 [23.19]	300.0 [11.81]	335.0 [13.19]	560.0 [22.05]	715.8 [28.18]	528.0 [20.80]	143.0 [5.63]	13.0 [0.51]	22.0 [0.87]	34.0 [1.34]	76.0 [2.99]	92.0 [3.62]

E1*:

400V

400V

-10 50°

2.

3.

1

50

20

(30)

VFD

Delta VFD

Delta VFD